BeA Coil Nailer DC/55-572C for nails BDC 30-55 mm

12100673



SCOPE OF OPERATION

- Carpentry
- Industrial packaging
- Wood packaging
- Pallet construction and repair
- Roofing and facade

SCOPE OF DELIVERY

- User manual
- Sparepart list
- Service Instructions
- Hex key

BeA GROUP SHOP

TECHNICAL DATA

Types of fastener	BeA Nails BDC
Length fastener	30-55 mm
Diameter fastener	2,1-2,4 mm
Magazine capacity max	1 Coil
Fastener Slope	16 °
Driving system	compressed air
Activation method	Contact activation
Operating pressure min	5 bar
Operating pressure max	8 bar
Air consumption per drive operation	1,5 l (6 bar)
Depth Adjustment	no
Tool (LxWxH)	293x130x270 mm
BG eligible for funding	no
Declaration of conformity	CE, UKCA, EAC
Noise characteristic K pA and K WA according to EN 12549	2,5 dB(A)
Noise characteristic L pA, 1s according to EN 12549	92,6 dB(A)
Noise characteristic L WA. 1s, d according to EN 12549	98,2 dB(A)
Vibration value ahd according to ISO 8662	3,85 m/s²
Vibration value Ka according to ISO 8662	0,16 m/s²
Gross weight	3,49 kg

shop.bea-group.com | BeA GmbH | Bogenstr. 43 – 45 | 22926 Ahrensburg | Tel. 04102 78 - 444 | info@bea-group.com


Weight	2,55 kg

10500375	45 mm	2,2 mm	Round head	Steel, bright	Smooth shank
10500376	50 mm	2,2 mm	Round head	Steel, bright	Smooth shank
10500380	45 mm	2,2 mm	Round head	Steel, bright	Ring shank
10500381	50 mm	2,2 mm	Round head	Steel, bright	Ring shank
10500426	55 mm	2,2 mm	Round head	Steel, bright	Smooth shank
10500477	55 mm	2,2 mm	Round head	Steel, bright	Ring shank

shop.bea-group.com | BeA GmbH | Bogenstr. 43 – 45 | 22926 Ahrensburg | Tel. 04102 78 - 444 | info@bea-group.com

SUITABLE FASTENER

Nails type BDC



BeA GROUP SHOP

Art.-Nr.	Length	Diameter	Head type	Material	Shank property
10500394	45 mm	2,1 mm	Round head	Steel, bright	Smooth shank
10500397	55 mm	2,3 mm	Round head	Steel, bright	Smooth shank
10500442	55 mm	2,1 mm	Round head	Steel, bright	Smooth shank
10500449	35 mm	2,1 mm	Round head	Steel, bright	Smooth shank
10500479	40 mm	2,1 mm	Round head	Steel, bright	Smooth shank
10500617	30 mm	2,1 mm	Round head	Steel, bright	Smooth shank
10500619	30 mm	2,1 mm	Round head	Steel, bright	Ring shank
10500622	30 mm	2,1 mm	Round head	Galvanised steel	Ring shank
10500625	32 mm	2,1 mm	Round head	Steel, bright	Ring shank
10500627	32 mm	2,1 mm	Round head	Galvanised steel	Ring shank
10500628	35 mm	2,1 mm	Round head	Steel, bright	Smooth shank
10500629	35 mm	2,1 mm	Round head	Steel, bright	Ring shank
10500634	38 mm	2,1 mm	Round head	Steel, bright	Ring shank
10500637	40 mm	2,1 mm	Round head	Steel, bright	Smooth shank
10500639	40 mm	2,1 mm	Round head	Steel, bright	Ring shank
10500642	40 mm	2,1 mm	Round head	Galvanised steel	Ring shank
10500644	45 mm	2,1 mm	Round head	Steel, bright	Smooth shank
10500646	45 mm	2,1 mm	Round head	Steel, bright	Ring shank

shop.bea-group.com | BeA GmbH | Bogenstr. 43 – 45 | 22926 Ahrensburg | Tel. 04102 78 - 444 | info@bea-group.com

10500650	50 mm	2,1 mm	Round head	Steel, bright	Smooth shank
10500651	50 mm	2,1 mm	Round head	Steel, bright	Smooth shank
10500652	50 mm	2,1 mm	Round head	Steel, bright	Ring shank
10500653	50 mm	2,1 mm	Round head	Galvanised steel	Ring shank
10500656	55 mm	2,1 mm	Round head	Steel, bright	Ring shank
10501717	40 mm	2,3 mm	Round head	Steel, bright	Ring shank
10501718	45 mm	2,3 mm	Round head	Steel, bright	Ring shank
10501719	50 mm	2,3 mm	Round head	Steel, bright	Ring shank
10501720	55 mm	2,3 mm	Round head	Steel, bright	Ring shank
10501722	55 mm	2,3 mm	Round head	Steel, bright	Screw shank

shop.bea-group.com | BeA GmbH | Bogenstr. 43 – 45 | 22926 Ahrensburg | Tel. 04102 78 - 444 | info@bea-group.com